

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Woody







## VK/04580/CE/NW/W/27

Ceiling Light Led. 3000K. 21W. 2190lm. CRI>90 ø27x7cm. IP20, Natural wood





IP20




Dimensions	Gallery	Downloads
	 	  

VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	21W
Voltage	220-240V
Fitting	Ceiling Led
Type	Light
Safety class	
IP Rating	<b>IP20</b>
CRI	CRI>90
Dimmable	 TRIAC
Lifetime	25.000hrs
Working temperature	< 50°C
PAGE	220 Decorative 2024
NICKNAME	Woody

Physical Specifications	
Color	Natural wood
Material	Oakwood, metal, fabric cord, acrylic diffuser
Length	ø27cm
Height	7cm
Net weight of product (kg)	1
Gross weight with master box (kg)	1.5
Width (inner box)	33cm
Length (inner box)	33cm
Height (inner box)	16cm

Illumination Data	
Lumen	2190lm
Beam angle	120°
Lighting direction	

Packing Info

Pcs/carton	1pc
------------	-----

Certification & Warranty

Guarantee	2 years
-----------	---------

Energy Label

The image shows an energy label for a VK Leading Light. At the top left is the EU Energy Label logo. Below it, the text reads "VK LEADING LIGHT" and "VK/04580/CE/NW/W/27". A vertical scale of energy efficiency classes from A to G is shown, with class F highlighted in a black arrow pointing to the right. Below the scale, the energy consumption is listed as "21 kWh/1000h". A QR code is located at the bottom right of the label, with the date "2019/2015" printed vertically next to it.