

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Opos

## VK/02217/W/WW/30




OPOS Outdoor Table portable Led light, 2x2200mA lithium batteries, Matt White. 2200K/2700K. 2W. 241lm. CRI>80, 10.3x10.3x30.8cm, dimmable, IP65


IP65



### Dimensions



### Gallery



Outdoor Portable LED Lights

Opos

Model	Color	Power	Light Output	Beam Angle	Material
VK/02217	Matt White	2W	241lm	120°	Aluminum
VK/02217	Matt Black	2W	241lm	120°	Aluminum
VK/02217	Matt Grey	2W	241lm	120°	Aluminum
VK/02217	Matt Blue	2W	241lm	120°	Aluminum
VK/02217	Matt Green	2W	241lm	120°	Aluminum
VK/02217	Matt Orange	2W	241lm	120°	Aluminum
VK/02217	Matt Red	2W	241lm	120°	Aluminum



Technical drawing showing the dimensions of the lamp. The main height is 30.8 cm. The stem diameter is 10.3 cm. The base diameter is 10.1 cm and the base height is 1.9 cm. The shade height is 6.9 cm and the shade width is 7.9 cm. The shade depth is also 7.9 cm.

### Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	2200K/2700K
Power	2W
Voltage	DC3.7V
Battery	2x2200mAh lithium battery
Charge	6.5 hours
Work time	>9 hours
Extra	With open switch. Included charging base. Without adapter
Fitting	Outdoor Portable LED
Type	Light
Safety class	
Light source	SMD
IP Rating	<b>IP65</b>
CRI	CRI>80
Dimmable	
Lifetime	25.000hrs
Clicks	30.000clicks
Working temperature	-20°C - 40°C
PAGE	726 Technical 2024
NICKNAME	Opos

Physical Specifications	
Color	Matt White
Material	Die-casting aluminum alloy
Width	7.9x7.9cm (top of hat)
Length	10.1x10.1cm (base)
Height	30.8cm
Net weight of product (kg)	0.811
Gross weight with master box (kg)	6.6
Width (inner box)	12.5cm
Length (inner box)	15cm
Height (inner box)	34cm

## Illumination Data

Lumen	241lm
Beam angle	150°
Lighting direction	


## Packing Info

Pcs/carton	6pcs
------------	------

## Certification &amp; Warranty

Guarantee	3 years
-----------	---------

## Energy Label



**ENERGY**

VK LEADING LIGHT  
VK/02217/W/WW/30

A  
B  
C  
D  
E  
F  
G

2 kWh/1000h

2019/2015