

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Elise

## VK/04701/PE/D/B-G/W




Black/Champagne Gold. 3000K. 10W. 867lm. AC220-240V. 25°. LED Cree+Edison+Sanan. Driver KGP. Ceiling/pendant. -20°C → 45°C. 50.000hrs. Clicks 20.000. Dimmable Yes, triac. CRI>90. Aluminum. IP20

IP20



### Dimensions




### Gallery





TECHNICAL SPECIFICATIONS  
Model: VK/04701/PE/D/B-G/W  
Power: 10W  
Voltage: AC220-240V  
Color Temperature: 3000K  
Beam Angle: 25°  
Lumen: 867lm  
CRI: >90  
Material: Aluminum  
IP Rating: IP20  
Dimmable: Yes (Triac)  
Warranty: 50,000 hours

### Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	10W
Voltage	AC220-240V
Fitting	Pendant
Type	Light
Safety class	
Light source	Cree+Edison+Sanan
IP Rating	<b>IP20</b>
CRI	CRI>90
Dimmable	 TRIAC
Lifetime	50.000hrs
Clicks	20,000
Driver	KGP
Cable Length	300cm (max)
Working temperature	-20°C-45°C
PAGE	92 New Products 2026
NICKNAME	Elise

Physical Specifications	
Family	Elise
Color	Black/Champagne gold
Material	Aluminum
Width	ø25cm
Length	ø25cm
Height	10.7cm+11cm (+300cm of cable)
Net weight of product (kg)	1.0kg
Gross weight with inner box (kg)	1.7kg
Width (inner box)	12.5cm
Length (inner box)	43.8cm
Height (inner box)	37.2cm

Illumination Data	
Lumen	867lm
Beam angle	25°
Lighting direction	

Packing Info	
Pcs/carton	4pcs

Certification & Warranty	
Guarantee	2 years