

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Elise

VK/04701/CE/D/B-G/W

Black/Champagne Gold. 3000K. 10W. 1002lm. AC220-240V. 45°. LED Cree+Edison+Sanan. Driver KGP. Ceiling. -20°C → 45°C. 50.000hrs. Clicks 20.000. Dimmable Yes, triac. CRI>90. Aluminum. IP20





IP20




Dimensions	Gallery	Downloads

VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	10W
Voltage	AC220-240V
Fitting	Ceiling
Type	Light
Safety class	
Light source	Cree+Edison+Sanan
IP Rating	IP20
CRI	CRI>90
Dimmable	 TRIAC
Lifetime	50.000hrs
Clicks	20,000
Driver	KGP
Working temperature	-20°C-45°C
PAGE	94 New Products 2026
NICKNAME	Elise

Physical Specifications	
Family	Elise
Color	Black/Champagne gold
Material	Aluminum
Width	ø25cm
Length	ø25cm
Height	7.9cm
Net weight of product (kg)	0.60kg
Gross weight with inner box (kg)	1.26kg
Width (inner box)	13cm
Length (inner box)	32.8cm
Height (inner box)	31.2cm

Illumination Data	
Lumen	1002lm
Beam angle	45°
Lighting direction	

Packing Info	
Pcs/carton	6pcs

Certification & Warranty	
Guarantee	2 years