

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Brace

VK/04729/B/W/40


Sand Black. 3000K. 6W. 311lm. AC 85-265V DC15-25V 300mA. LED Edison SMD. 50.000hrs. 120°. Dimmable No. -20°C→ 45°C. Outdoor Ground. CRI>80. H40cm. Aluminum. IP65





IP65




Dimensions



Gallery



Downloads



VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	6W
Voltage	AC85-265V
Extra	DC15-25V 300mA
Fitting	Outdoor ground
Type	Light
Safety class	
Light source	Edison SMD
IP Rating	IP65
CRI	CRI>80
Dimmable	
Lifetime	50.000hrs
Working temperature	-20°C-45°C
PAGE	348 New Products 2026
NICKNAME	Brace

Physical Specifications	
Rotation	120°
Family	Brace
Color	Sand Black
Material	Aluminum
Width	18cm
Length	6cm
Height	40cm

Illumination Data	
Lumen	311lm
Beam angle	120°
Lighting direction	

Packing Info

Pcs/carton	6pcs
------------	------

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label

ENERGY

VK LEADING LIGHT
VK/04729/B/W/40

A
B
C
D
E
F
G

5 kWh/1000h

2019/2015