Product Datasheet

vkleadinglight.gr




Lines

VK/04267/W/6/W

Recessed fixed spot led, 5W, 3000K, 723lm, 15°, CRI>90, IP20, white



IP20

Dimensions	Gallery	Downloads
	  	FILES FOTO CE

VK Leading Light
Since 1978

Technical Specifications	
Kelvin	3000K
Power	5W
Voltage	220-240V
Fitting	Recessed dark ceiling
Type	Square Downlight LED
Safety class	
Light source	OSRAM
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	20.000clicks
Working temperature	< 45°C
PAGE	220 Technical 2024
NICKNAME	Lines

Physical Specifications	
Recessed ceiling	Yes
Color	White
Material	Aluminium
Width	5cm
Length	14.2cm
Height	3.6cm
Net weight of product (kg)	0.27
Gross weight with inner box (kg)	0.33
Gross weight with master box (kg)	10.85
Cut out	13.5x4cm depth 3cm

Illumination Data	
Lumen	723lm
Beam angle	15°
Lighting direction	
Dark light	Yes

Packing Info	
Pcs/carton	30pcs

Certification & Warranty	
Guarantee	3 years

Energy Label

